

DINDAN
COOLING PANEL



THE COOLING EXPERT

GUIDE BOOK

➤ TECHNICAL INFORMATION

➤ PERFORMANCE HIGHLIGHTS

➤ INTELLIGENT SENSOR
PROTECTION SYSTEM



GET IN TOUCH

WWW.DINDAN.CO.ID

DINDAN

300 WATT

14ACU/005



↗ COOLING CAPACITY
300 WATT

↗ INPUT
SINGLE-PHASE 200V (+20% / -15%)

↗ INSTALLATION TYPE
SIDE PANEL-MOUNTED

↗ INTELLIGENT SENSOR PROTECTION SYSTEM
ANTI-FREEZE DETECTOR

CONDENSOR THERMAL DETECTOR

THERMOSTAT

OVERDRAIN PROTECTION SYSTEM



**24 HOUR
OPERATION**



**TEMPERATURE
DISPLAY**



**AUTOMATIC
MONITORING**



**SIMPLE
INSTALLATION**



**INTELLIGENT
CONTROL**



**HIGH-QUALITY
EVAPORATOR COIL**

DINDAN

600 WATT

20ACU/005



↗ COOLING CAPACITY
600 WATT

↗ INPUT
SINGLE-PHASE 200V (+20% / -15%)

↗ INSTALLATION TYPE
SIDE PANEL-MOUNTED

↗ INTELLIGENT SENSOR PROTECTION SYSTEM
ANTI-FREEZE DETECTOR

CONDENSOR THERMAL DETECTOR

THERMOSTAT

OVERDRAIN PROTECTION SYSTEM



**24 HOUR
OPERATION**



**TEMPERATURE
DISPLAY**



**AUTOMATIC
MONITORING**



**SIMPLE
INSTALLATION**



**INTELLIGENT
CONTROL**



**HIGH-QUALITY
EVAPORATOR COIL**

DINDAN

1200 WATT

40ACU-P23



↗ COOLING CAPACITY
1200 WATT

↗ INPUT
SINGLE-PHASE 200V (+20% / -15%)

↗ INSTALLATION TYPE
SIDE PANEL-MOUNTED

↗ INTELLIGENT SENSOR PROTECTION SYSTEM
ANTI-FREEZE DETECTOR
CONDENSOR THERMAL DETECTOR
THERMOSTAT
OVERDRAIN PROTECTION SYSTEM



**24 HOUR
OPERATION**



**TEMPERATURE
DISPLAY**



**AUTOMATIC
MONITORING**



**SIMPLE
INSTALLATION**



**INTELLIGENT
CONTROL**



**HIGH-QUALITY
EVAPORATOR COIL**

DINDAN

1500 WATT

40ACU/004-3



↗ COOLING CAPACITY
1500 WATT

↗ INPUT
SINGLE-PHASE 200V (+20% / -15%)

↗ INSTALLATION TYPE
ROOF-MOUNTED

↗ INTELLIGENT SENSOR PROTECTION SYSTEM
FREEZE PROTECTION

CONDENSOR THERMAL DETECTOR

THERMOSTAT

**OVERFLOW CONDENSATE DRAIN
PROTECTION**

SECONDARY DRAINPAN



**24 HOUR
OPERATION**



**TEMPERATURE
DISPLAY**



**AUTOMATIC
MONITORING**



**SIMPLE
INSTALLATION**



**INTELLIGENT
CONTROL**



**HIGH-QUALITY
EVAPORATOR COIL**

DINDAN

2400 WATT

70ACU/005



↗ COOLING CAPACITY
2400 WATT

↗ INPUT
SINGLE-PHASE 200V (+20% / -15%)

↗ INSTALLATION TYPE
SIDE PANEL-MOUNTED

↗ INTELLIGENT SENSOR PROTECTION SYSTEM
OVER DRAIN PROTECT SYTEM
CONDENSOR THERMAL DETECTOR
THERMOSTAT



**24 HOUR
OPERATION**



**TEMPERATURE
DISPLAY**



**AUTOMATIC
MONITORING**



**SIMPLE
INSTALLATION**



**INTELLIGENT
CONTROL**



**HIGH-QUALITY
EVAPORATOR COIL**

DINDAN

3500 WATT

120ACU-P39



↗ COOLING CAPACITY
3500 WATT

↗ INPUT
SINGLE-PHASE 200V (+20% / -15%)

↗ INSTALLATION TYPE
SIDE PANEL-MOUNTED

↗ INTELLIGENT SENSOR PROTECTION SYSTEM
ANTI-FREEZE DETECTOR

CONDENSOR THERMAL DETECTOR

THERMOSTAT

COMPRESSOR OVERHEAT DETECTOR

OVERDRAIN PROTECT SYSTEM



**24 HOUR
OPERATION**



**TEMPERATURE
DISPLAY**

**LED
SIGNAL**

**AUTOMATIC
MONITORING**



**SIMPLE
INSTALLATION**



**INTELLIGENT
CONTROL**



**HIGH-QUALITY
EVAPORATOR COIL**

DINDAN

ORDER GUIDE SPECIFICATIONS

| | | | | | | |
|--------------------|---------------|-------------|--------------|---------------|--------------|--------------|
| Cooling cap. (W) | 300W | 600W | 1200W | 1500W | 2400W | 3500W |
| Cooling cap. (BTU) | 1400 | 2000 | 4000 | 5000 | 8000 | 12000 |
| Frequency (Hz) | 50 | 50 | 50 | 50 | 50 | 50 |
| Current (A) | 1,1 | 2,2 | 3,2 | 3,7 | 4,4 | 8 |
| Compressor | Reciprocating | Rotary | Rotary | Reciprocating | Rotary | Rotary |
| Dimension (mm) | 384x175x432 | 384x177x619 | 350x146x1350 | 608x488x403 | 462x210x1590 | 465x270x1600 |
| Weight (Kg) | 26 | 31,5 | 46,6 | 42,6 | 71,9 | 90 |

Join our growing community on social media!




@lfccteknologi



PT LFC Teknologi Indonesia



www.lfc.co.id



telephone (0778) 408 6403 / +62 815 3611 0114
e-mail sales@lfc.co.id

Kawasan Industri Tunas Bizpark 11F
Batam, Kepulauan Riau, 29464